

**PHILIPS**

Xperion 3000

LED work lights



Designed  
with you  
in mind

# Discover our Xperion 3000 LED work lights

Philips Xperion 3000 LED work lights were designed for durability, reliability, and affordability. They include advanced features that make them a great choice for DIYers and service professionals alike.

The Philips Xperion 3000 LED work light line includes seven hand-held lights, two flood projector lights, an under bonnet light, and a wearable headlamp.





# Xperion 3000 X30PILLX1 (Pillar) Bright LED work light

With its powerful bright light, non-slip 180° folding grip, and lightweight design, the Philips Xperion 3000 Pillar provides up to 500 lumens from its 6-LED main light and 120 lumens from its spotlight. For hands-free use, it features two 360° rotatable hooks and three magnets with soft-touch plastic to protect painted surfaces. Rated IP20/IK08 for resistance to impacts, water, and dust, it provides up to 8.5 hours of use from a single charge. USB-C cable included.




Choose 500 or 200 lumens output from main light



Focused spotlight provide 120 lumens output



Three magnets for metal mounting - soft touch plastic protects paint



Two 360° rotating hooks for hands-free use



Magnetic base/grip folds 180°



Robust, shock-resistant housing



# Xperion 3000 X30SLIMX1 (Slim) Slim, foldable LED work light


The versatile, ultra-thin Philips Xperion 3000 Slim provides up to 500 lumens of illumination. Its 270° pivoting light bar makes it easy to aim the light where you need it. For hands-free work, it includes a 360° rotatable, retracting hook and a tilting magnetic base with soft-touch plastic to protect painted surfaces. Rated IP20/IK08 for resistance to impacts, water, and dust, it provides up to eight hours of use on a single charge. USB-C cable included.



Choose 500 or 200 lumens output - up to eight hours use at 200 lumens

150 lumens focused spotlight in tip of lightbar

Magnet in base for metal mounting - soft touch plastic protects paint



360° rotating hook for hands-free use

Ultra-slim, 270° pivoting design to light up narrow spaces

Robust, shock-resistant housing

# Xperion 3000 X30ZOOMX1 (Zoom) Powerful LED zoom light

The Philips Xperion 3000 Zoom provides up to 1,000 lumens, and its zoom lens adjusts from a 130° wide flood to a 20° focused spotlight. A powerful magnetic base allows for hands-free use and soft-touch plastic protect painted surfaces. Rated IP54/IK07 for resistance to impacts, water, and dust, it provides up to nine hours on a single charge. USB-C cable included.



Choose 1,000, 600, or  
200 lumens output



Includes USB-C cable and  
integrated battery life indicators



Magnet in base for metal  
mounting - soft touch plastic  
protects paint



Light module pivots 180°



Zoom lens focuses the beam  
exactly where it's needed



Robust, shock-resistant housing



# Xperion 3000 X30LINEX1 (Line) Cordless, slim professional LED light

The Philips Xperion 3000 Line is a slim, rechargeable professional work light that delivers a powerful, 120° wide beam of up to 300 lumens. For hands-free work, it features a 360° retracting, rotating hook, and a powerful magnet in the handle with soft-touch plastic to protect painted surfaces. Rated IP54/IK07 for resistance to impacts, water, and dust, it provides up to 7.5 hours of use from a single charge. USB-C cable included.



Choose from 300 or 150 lumens output

300 lm  
150 lm

Fully charges in 3 hours via USB-C cable (included)

<3 h

Up to 7.5 hours battery life from a single charge

<7.5 h



360° hook and magnetic base provide hands-free operation

Wide beam angle illuminates a broad work area

120°

Robust, shock-resistant housing

IP54  
IK07

# Xperion 3000 X30POCKX1 (Pocket)

## Small, handy LED pocket light

The Philips Xperion 3000 Pocket LED light is a small, rechargeable work light that provides up to 300 lumens of powerful, bright light and up to 10 hours of use from a single charge. For hands-free work, it includes a 360° rotatable hook and a tilting magnetic base with soft-touch plastic to protect painted surfaces. Rated IP20/IK08 for resistance to impacts, water, and dust. USB-C cable included.



Choose 300 or 100 lumens output



Fully charges in 3.5 hours via USB-C cable (included)



Integrated clip makes the light wearable



360° rotating hook for hands-free use



Magnet in base for metal mounting - soft touch plastic protects paint



Robust, shock-resistant housing





# Xperion 3000 X30HEADX1 (Headlamp)

## Dual-mode LED headlight

The Philips Xperion 3000 Headlight provides bright white exactly where you need it. Two individual light sources provide wide beam and spotlight illumination up to 300 lumens. The lightweight, comfortable, anti-slip elastic headband make it a versatile, hands-free tool for everyday use. Rated IP65/IK07 for resistance to impacts, water, and dust, it provides up to 2.5 hours of use from a single charge. USB-C cable included.



Bright, comfortable work light with wide beam angle

300 lm

120°

100 lm

Choose spotlight or wide beam illumination

200 lm

Fully charges in 2.5 hours via USB-C cable (included)

USB-C

<2.5 h

Anti-slip elastic headband. Comfortable and easy to adjust

Headband adjustment icon

Light module tilts for precise beam aiming

60°

Robust, shock-resistant housing

IP65

IK07

# Xperion 3000 X30FLX1 (Flood)

## Portable LED flood light

Small, powerful, and robust, the Philips Xperion 3000 Flood LED light provides brilliant white light up to 1,000 lumens. For hands-free use, the Flood features a 360° hook and a tilting magnetic handle with soft-touch plastic to protect painted surfaces. It is rated IP65/IK08 for resistance to impacts, water, and dust and provides up to eight hours of use from a single charge. USB-C cable included.



Choose 1,000, 500, or 300 lumens with spotlight or wide beam



Magnet in base for metal mounting - soft touch plastic protects paint



Fully charges in 5.5 hours via USB-C cable (included)



360° pivoting hook for hands-free operation



Powerbank function with USB charging port



Robust, shock-resistant housing, tilting magnetic base



# Xperion 3000 X30FLMIX1 (Flood Mini)

## Compact LED flood light

The Philips Xperion 3000 Flood Mini is a compact LED flood light that provides a bright white light up to 500 lumens. For hands-free use, the Flood Mini features a 360° hook and a tilting magnetic handle with soft-touch plastic to protect painted surfaces. It is rated IP65/IK08 for resistance to impacts, water, and dust and provides up to eight hours of use from a single charge. USB-C cable included.



Choose 500, 300, or 200 lumens with spotlight or wide beam



Magnet in base for metal mounting - soft touch plastic protects paint



Fully charges in 3.5 hours via USB-C cable (included)



Magnetic base tilts for precise beam placement



Up to eight hours operation on a single charge





Robust, shock-resistant housing, tilting magnetic base



# Xperion 3000 X30PENX1 (Penlight)

## Portable LED inspection tool

Compact enough to carry with you all day, the Philips Xperion 3000 Penlight features a 100 lumen, 7-LED main light and a 50 lumen spotlight. Rated IP20/IK06 for resistance to impacts, water, and dust. USB-C cable included.



# Xperion 3000 X30PECOX1 (Pen Economy) Compact worker's companion


The Philips Xperion 3000 Pen Economy is an ultra-compact LED work light that features a 5-LED, 90 lumens main light and a 10 lumen spotlight. Rated IP20/IK07 for resistance to impacts, water, and dust, it provides up to 10 hours of use. It's powered by 3 AAA batteries (included).



# Xperion 3000 X30PECOB1 (Pen Economy Bulk Display) Compact worker's companion

Self-liquidating counter-top display comes with 20 Pen Economy Work Lights.\*

\*When you place your order for 1 display you will receive 20 pens and the display.



# Xperion 3000 X30BONNX1 (Under Bonnet)

## Versatile and foldable LED work light

The Philips Xperion 3000 Under Bonnet LED light offers a 1,200 lumen broad beam. The LED lightbars fold out and tilt to aim the light exactly where you need it. For hands-free use, the base features two fold-out hooks and a powerful magnet. Soft-touch plastic protect painted surfaces and provide excellent grip. Rated IP54/IK07 for resistance to impacts, water, and dust, it provides up to 12 hours of use from a single charge. USB-C cable included.




Choose 1,200, 600, or 300 lumen output



Powerful magnet in handle – soft-touch plastic protects paint



Fully charges in 4 hours via USB-C cable (included)



Lightbars pivot and tilt to aim the light where it's needed



Folds up for easy storage




Robust, shock-resistant housing





## X30PILLX1 (Pillar)



Boost light		
	500 lm	Up to 2.5 h
Eco light		
	200 lm	Up to 8 h
Spotlight		
	120 lm	Up to 8.5 h
Light angle		
	Main light 90°	Spot 30°
Flexibility		
	180° foldable stand	90° tiltable light module
Special features	Dual hooks	
Fixture	360° rotatable hooks	3 magnets
Grip/grease resistance	Nylon, PC	Garage proof
Robustness	IP20	IK08
Lithium battery power supply		
	<3.5 h	USB type-C

## X30SLIMX1 (Slim)


















Boost light		
	500 lm	Up to 3 h
Eco light		
	200 lm	Up to 8 h
Spotlight		
	150 lm	Up to 8 h
Light angle		
	Main light 90°	Spot 30°
Flexibility	270° tiltable light module	
Special features		
Fixture	180° rotatable hook	1 magnet
Grip/grease resistance	PC, Rubber	Garage proof
Robustness	IP20	IK07
Lithium battery power supply		
	<3.5 h	USB type-C

















## X30ZOOMX1 (Zoom)




















Boost light		
	1000 lm	Up to 1.5 h
Eco light		
	600/200 lm	Up to 3/9 h
Spotlight		
	1000 lm	Up to 1.5 h
Flexibility	180° rotatable light module	
Special features	ZOOM Zoom 20° - 130°	
Fixture	1 magnet	
Grip/grease resistance	Nylon, Rubber	Garage proof
Robustness	IP54	IK07
Lithium battery power supply		
	<3.5 h	USB type-C



X30LINEX1 (Line)		
		
		
Boost light		
	<b>300 lm</b>	<b>Up to 4 h</b>
Eco light		
	<b>150 lm</b>	<b>Up to 7.5 h</b>
Light angle		
		
<b>Main light 120°</b>		
Fixture		
		
<b>360° rotatable hook</b>		
		
<b>1 magnet</b>		
Grip/grease resistance		
	<b>Robust ABS*</b>	<b>Garage proof</b>
Robustness		
	<b>IP54</b>	<b>IK07</b>
Lithium battery power supply		
	<b>&lt;3 h</b>	<b>USB type-C</b>

X30POCKX1 (Pocket)		
		
		
Boost light		
	<b>300 lm</b>	<b>Up to 3 h</b>
Eco light		
	<b>100 lm</b>	<b>Up to 10 h</b>
Light angle		
		
<b>Main light 90°</b>		
Flexibility		
		
<b>180° foldable stand</b>		
Fixture		
		
<b>360° rotatable hook</b>		
		
<b>1 magnet</b>		
Grip/grease resistance		
	<b>Nylon, PC</b>	<b>Garage proof</b>
Robustness		
	<b>IP20</b>	<b>IK08</b>
Lithium battery power supply		
	<b>&lt;3.5 h</b>	<b>USB type-C</b>

X30HEADX1 (Headlamp)		
		
		
Boost light		
	<b>300 lm</b>	<b>Up to 2 h</b>
Eco light		
	<b>100 lm</b>	<b>Up to 6 h</b>
Spotlight		
		
	<b>200 lm</b>	<b>Up to 3 h</b>
Light angle		
		
<b>Main light 120°</b>		
Flexibility		
		
<b>60° tiltable light module</b>		
Special features		
		
<b>Dual lights: spot + flood</b>		
Fixture		
		
<b>Soft anti-slip band</b>		
Grip/grease resistance		
	<b>PC, Rubber</b>	<b>Garage proof</b>
Robustness		
	<b>IP65</b>	<b>IK07</b>
Lithium battery power supply		
	<b>&lt;2.5 h</b>	<b>USB type-C</b>



X30FLX1 (Flood)		
Boost light	1000 lm	Up to 3 h
Eco light	500 lm	Up to 6 h
Spotlight	300 lm	Up to 8 h
Light angle	Main light 110°	Spot 30°
Flexibility	180° foldable stand	
Special features	Dual lights: spot + flood	Power bank function
Fixture	180° rotatable hook	Magnetic handle
Grip/grease resistance	Nylon, Rubber	Garage proof
Robustness	IP65	IK08
Lithium battery power supply	<5.5 h	USB type-C

X30FLMIX1 (Flood Mini)		
Boost light	500 lm	Up to 3 h
Eco light	200 lm	Up to 8 h
Spotlight	300 lm	Up to 5 h
Light angle	Main light 110°	Spot 30°
Flexibility	180° foldable stand	
Special features	Dual lights: spot + flood	
Fixture	180° foldable stand	Magnetic handle
Grip/grease resistance	Nylon, Rubber	Garage proof
Robustness	IP65	IK08
Lithium battery power supply	<3.5 h	USB type-C

X30PENX1 (Penlight)		
Boost light	100 lm	Up to 4 h
Spotlight	50 lm	Up to 6 h
Light angle	Main light 80°	Spot 30°
Fixture	Clip	1 magnet
Grip	Robust ABS*	
Robustness	IP20	IK06
Lithium battery power supply	<2.2 h	USB type-C


## X30PECOX1 (Pen Economy)




Boost light    
**90 lm** Up to **6.5 h**

Spotlight    
**10 lm** Up to **10 h**

Light angle    
 Main light **40°** Spot **30°**

Fixture   
 Clip



Grip   
 Robust ABS\*



Robustness    
**IP20** **IK07**


Power supply   
**3x AAA incl.**


## X30BONNX1 (Under Bonet)






Boost light    
**1200 lm** Up to **3 h**

Eco light    
**600/300 lm** Up to **12 h**

Light angle   
 Main light **110°**

Flexibility   
**180°** tiltable light module

Fixture    
 Dual hooks **1 magnet**

Grip   
 Robust ABS\*

Robustness    
**IP54** **IK07**

Lithium battery power supply    
**<4 h** **USB type-C**

# LED work light features

## Light module



Maximum light output (in lumen)

Boost light



Angle of the main light beam

Beam angle



Light output during power save mode (in lumen)

Eco/dimmed light



Flexibility of the work light thanks to pivoting light module

Pivoting light module



Additional small light to reach confined spaces (in lumen)

Spotlight



Change the focus of the light beam by simply turning a knob

Zoom light



Operating time during one charging cycle

Operating time

## Smart, ergonomic design



Fixture such as clips, clamps, and hooks to enable hands-free work

Fixture



Magnet integrated into the work light to enable hands-free work

Magnet



Fold the light module to the area you want to illuminate

Foldable Stand



Robust ABS\* and soft plastic body to hold the work light securely

Grip

## Robust and durable



Degree of protection against intrusion from solid objects, dust, accidental contact, and water

Ingress protection



Degree of protection against external impacts

Shock protection



Highly resistant to grease and workshop solvents

Grease resistance

## Power options and recharging



Time needed to fully recharge the integrated battery

Charging time



Rechargeable battery with a USB Type-C cable

USB-C



Compatibility with the Multi Dock Station\*\* accessory for cordless charging

Charging station



Part Number	Description	Packaged Quantity	Minimum Order Quantity
X30PECOB1	Philips LED work light Xperion 3000 Pen Eco Bulk Pack	20	1
X30PECOX1	Philips LED work light Xperion 3000 Pen Eco	1	10
X30PENX1	Philips LED work light Xperion 3000 Penlight	1	6
X30HEADX1	Philips LED work light Xperion 3000 Headlamp	1	6
X30POCKX1	Philips LED work light Xperion 3000 Pocket	1	6
X30LINEX1	Philips LED work light Xperion 3000 Line	1	6
X30PILLX1	Philips LED work light Xperion 3000 Pillar	1	6
X30SLIMX1	Philips LED work light Xperion 3000 Slim	1	6
X30ZOOMX1	Philips LED work light Xperion 3000 Zoom	1	6
X30FLMIX1	Philips LED work light Xperion 3000 Flood Mini	1	6
X30FLX1	Philips LED work light Xperion 3000 Flood	1	6
X30BONNX1	Philips LED work light Xperion 3000 Under Bonnet	1	6

#### Lumileds

34119 W. Twelve Mile Road, Suite 102

Farmington Hills, MI 48331

Phone: 800-257-6054

[www.philips.com/automotive](http://www.philips.com/automotive)

© 2024 Lumileds Holding B.V. All rights reserved.

The Philips trademark and the Philips shield emblem are registered trademarks of Koninklijke Philips N.V. Specifications are subject to change without notice.

Xperion 3000 LED work lights

X3000WL-4-2024